

	Type	Hits	Search Text	DBs
1	IS&R	2	("6075776").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	2	((("6075776").PN.) and intranet	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1084	370/419	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	4090	370/465	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	2702	370/466	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1236	370/467	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	3982	370/252	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	80	("8 bit/10 bit" "8/10") with encod\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	61131	interface with (protocol standard variety)	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	4426	((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	41	((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/419	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	155	((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/465	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	165	((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/466	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	81	((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/467	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	104	((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/252	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
16	BRS	352	(((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/419) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/465) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/466) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/467) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/252)	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	72	(((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/419) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/465) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/466) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/467) (((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4)) and 370/252)) and ("802.3")	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	38	(idle silent) with ("802.3")	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	4	((idle silent) with ("802.3")) and 370/419	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	6	((idle silent) with ("802.3")) and 370/465	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	3	((idle silent) with ("802.3")) and 370/466	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	2	((idle silent) with ("802.3")) and 370/467	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	3	((idle silent) with ("802.3")) and 370/252	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
24	BRS	11	((idle silent) with ("802.3")) and 370/419) ((idle silent) with ("802.3")) and 370/465) ((idle silent) with ("802.3")) and 370/466) ((idle silent) with ("802.3")) and 370/467) ((idle silent) with ("802.3")) and 370/252)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	(idle silent) same ("802.3") same ((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	68	(idle silent) and ("802.3") and ((interface with (protocol standard variety)) with (detect\$4 identif\$6 monitor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	370/465 and (("8 bit/10 bit" "8/10") with encod\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	370/467 and (("8 bit/10 bit" "8/10") with encod\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	1	370/252 and (("8 bit/10 bit" "8/10") with encod\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	3	370/419 and (("8 bit/10 bit" "8/10") with encod\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	2	370/466 and (("8 bit/10 bit" "8/10") with encod\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	2635	("8 bit/10 bit" "8/10")	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	3	((("8 bit/10 bit" "8/10")) and 370/419	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	0	((("8 bit/10 bit" "8/10")) and 370/465	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	2	((("8 bit/10 bit" "8/10")) and 370/466	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	0	((("8 bit/10 bit" "8/10")) and 370/467	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1	((("8 bit/10 bit" "8/10")) and 370/252	USPAT; EPO; JPO; DERWENT; IBM_TDB